

# ClinNext 10

## Real World Test Results 2024

Sabiamed Corporation

### GENERAL INFORMATION:

Developer Name:	Sabiamed Corporation
Product Name and Version:	ClinNext 10 v1.0
CHPL Product Number:	15.04.04.2297.Clin.01.01.1.241218
Developer Real World Testing Plan Page URL:	<a href="https://www.sabiamed.com/rwtest">https://www.sabiamed.com/rwtest</a>
Developer Real World Testing Results Report URL:	<a href="https://www.sabiamed.com/rwtest">https://www.sabiamed.com/rwtest</a>

### CHANGES TO ORIGINAL PLAN:

Summary of Change [Summarize each element that changed between the plan and actual execution of Real World Testing]			Reason [Describe the reason this change occurred]	Impact [Describe what impact this change had on the execution of your Real World Testing activities]
CRITERIA	TEST PLAN	ACTUAL EXECUTION		
<b>170.315 (c)(2): Clinical Quality Measures - Import and Calculate</b>	<i>[Test Step]</i> The user will perform a data export for the time range that contains those patients.	<i>[Test Step]</i> The user will perform a QRDA Category III export for the time range that contains those patients.	The correct file that needs to be generated as part of the (c)(2) criteria is a QRDA III file, not a QRDA I as stated in the original test plan.	None (The modified step measures the tested criteria more accurately)
<b>170.315 (c)(2): Clinical Quality Measures - Import and Calculate</b>	<i>[Test Step]</i> The QRDA I files for the patients matching the Cypress data set will be imported back into Cypress for calculations validation.	<i>[Test Step]</i> The QRDA Category III files for the patients matching the Cypress data set will be imported back into Cypress for calculations validation.	The correct file that needs to be generated as part of the (c)(2) criteria is a QRDA III file, not a QRDA I as stated in the original test plan.	None (The modified step measures the tested criteria more accurately)
<b>170.315 (c)(2): Clinical Quality Measures - Import and Calculate</b>	<i>[Outcome]</i> The user is able to run a report for the date range that contains the imported data set and observe where those 2 patients fall within the measure populations of each of the 2 selected measures.	<i>[Outcome]</i> The user is able to run a report for the date range that contains the imported data set and observe where the patients fall within the measure populations of each of the 2 selected measures.	Since this criteria involved the generation of a QRDA III, what was tested was that the QRDA III file reflected the correct populations by measure. Specific patient QRDA I files were out of scope for this test.	None (The modified outcome measures the tested criteria more accurately)
<b>170.315 (c)(2): Clinical Quality Measures - Import and Calculate</b>	<i>[Outcome]</i> The user is able to perform an export containing the QRDA I files for the 4 imported patients within the 2 selected measures.	<i>[Outcome]</i> The user is able to perform an export containing the QRDA Category III files for the 2 selected measures.	The correct file that needs to be exported as part of the (c)(2) criteria is a QRDA III file, not a QRDA I as stated in the original test plan.	None (The modified outcome measures the tested criteria more accurately)

<b>170.315 (c)(2): Clinical Quality Measures - Import and Calculate</b>	[Outcome] Cypress validation tool returns no standards compliance errors in any of the 4 imported QRDA I files.	[Outcome] Cypress validation tool returns no standards compliance errors in any of the imported QRDA Category III files.	The correct file that needs to be validated for compliance using Cypress as part of the (c)(2) criteria is a QRDA III file, not a QRDA I as stated in the original test plan.	None (The modified outcome measures the tested criteria more accurately)
<b>170.315 (f)(3): Transmission to Public Health Agencies - Reportable Laboratory Tests and Values/Results</b>	[Outcome] The user is able to transmit the HL7 files to PRDoH Health Gorilla.	[Outcome] The tester validates successful generation of Lab. Results HL7 and that the file is copied onto the configured target location.	The interface to transmit the HL7 files to health gorilla was disabled at the tested facility at the time of the test. The file generation was tested in Sabiamed QA environment on which that interface was enabled. The tested environment is functionally equivalent to the Live system.	None (The modified test is equivalent to the original step in terms of properly validating the functionality)
<b>170.315 (f)(3): Transmission to Public Health Agencies - Reportable Laboratory Tests and Values/Results</b>	[Outcome] PRDoH Health Gorilla is able to receive and process the files.	[Outcome] The tester is able to access the generated HL7 files.	The interface to transmit the HL7 files to health gorilla was disabled at the tested facility at the time of the test. An alternate step was defined to validate that the generated HL7 file is accessible in the tested environment.	None (The modified test is equivalent to the original step in terms of properly validating the functionality)
<b>170.315 (f)(1): Transmission to Immunization Registries</b>	[Test Step] In the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the documented immunizations for the 2 selected patients.	The step was removed	We were unable to identify a physician that had access to DoseSpot e-Prescribing system that could perform the test with us. The test was performed in Sabiameds QA environment which is functionally equivalent to the live system.	None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)
<b>170.315 (b)(3): Electronic Prescribing</b>	[Test Step] The facility will be selected that currently use ClinNext 10 v.1.0	The step was removed	We were unable to identify a physician that had access to DoseSpot e-Prescribing system that could perform the test with us. The test was performed in Sabiameds QA environment which is functionally equivalent to the live system.	None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)
<b>170.315 (b)(3): Electronic Prescribing</b>	[Test Step] A date/time will be coordinated with a system user that currently uses the e-Prescription functionality.	The step was removed	We were unable to identify a physician that had access to DoseSpot e-Prescribing system that could perform the test with us. The test was performed in Sabiameds QA environment which is functionally equivalent to the live system.	None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)
<b>170.315 (b)(3): Electronic Prescribing</b>	[Test Step] At the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the process of a physician documenting and transmitting an electronic prescription for a real patient to their preferred pharmacy.	The step was removed	We were unable to identify a physician that had access to DoseSpot e-Prescribing system that could perform the test with us. The test was performed in Sabiameds QA environment which is functionally equivalent to the live system.	None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)
<b>170.315 (b)(3): Electronic Prescribing</b>	[Test Step] The selected pharmacy will be contacted to validate that they received the prescription and that it contains all required information to be able to fill it.	The step was removed	We were unable to identify a physician that had access to DoseSpot e-Prescribing system that could perform the test with us. The test was performed in Sabiameds QA environment which is functionally equivalent to the live system.	None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)
<b>170.315 (b)(3): Electronic Prescribing</b>	[Outcome] The pharmacy validates that they received the prescription.	The outcome was removed	The test was performed in a QA environment linked to DoseSpot's Staging system which contains test pharmacies.	None

<p><b>170.315 (b)(3): Electronic Prescribing</b></p>	<p>[Outcome] The pharmacy validates that they were able to fill the prescription.</p>	<p>The outcome was removed</p>	<p>The test was performed in a QA environment linked to DoseSpot's Staging system which contains test pharmacies.</p>	<p>None</p>
<p><b>170.315 (b)(3): Electronic Prescribing</b></p>	<p>[Key Milestones] The physician was able to select a patient and a pharmacy based on the patient's preference (Selected Pharmacy was: WALGREENS DRUG STORE #00936).</p> <p>The physician was able to document and send process an electronic prescription for the selected patient.</p> <p>The pharmacy confirmed through a phone call having received the prescription with no errors and was able to fill it.</p> <p>The information stored in the database matched the information entered by the user.</p> <p>The functionality of the criteria was successfully validated.</p>	<p>[Key Milestones] The tester was able to select a patient and a test pharmacy to send the prescription to</p> <p>The user was able to document and send an electronic prescription for the selected patient to this selected test pharmacy</p> <p>The information stored in the database matched the information entered by the tester.</p> <p>The functionality of the criteria was successfully validated.</p>	<p>The test was performed in a QA environment linked to DoseSpot's Staging system which contains test pharmacies. Key Milestones were modified accordingly to remove steps related to the pharmacy receiving and being able to fill the prescription. However, the accuracy of the data inserted into the database was assessed as part of the test.</p>	<p>None</p>
<p><b>170.315 (g)(7): Application Access - Patient Selection</b></p>	<p>[Test Step] A test date/time will be coordinated with the selected facility.</p>	<p>The step was removed</p>	<p>The selected facility is not using the functionality</p>	<p>None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)</p>
<p><b>170.315 (g)(7): Application Access - Patient Selection</b></p>	<p>[Test Step] At the scheduled date/time, we will perform 3 queries against the facility database: one for patient last name, another for patient first name and last name, and another one for patient first name, last name and date of birth. The results of each query will be saved as a reference data set.</p>	<p>[Test Step] At the scheduled date/time, we will perform 3 queries against Sabaimed's QA environment database: one for patient last name, another for patient first name and last name, and another one for patient first name, last name and date of birth. The results of each query will be saved as a reference data set.</p>	<p>The modified step measures the tested criteria more accurately, to reflect that the database being used is not a production environment</p>	<p>None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)</p>
<p><b>170.315 (g)(7): Application Access - Patient Selection</b></p>	<p>[Outcome] The tester is able to provision a test application within the facility's database (emulating a real third-party application).</p>	<p>[Outcome] The tester is able to provision a test application within the Sabaimed's QA environment database (emulating a real third-party application).</p>	<p>The modified outcome reflects that the database being used is not a production environment</p>	<p>None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)</p>

<p><b>170.315 (g)(9): Application Access - All Data Request</b></p>	<p><i>[Test Step]</i> A test date/time will be coordinated with the selected facility.</p>	<p>The step was removed</p>	<p>The selected facility is not using the API functionality</p>	<p>None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)</p>
<p><b>170.315 (g)(9): Application Access - All Data Request</b></p>	<p><i>[Test Step]</i> At the scheduled date/time, we will perform queries against the facility database for the selected Patient ID and the transactional tables for all data categories that comprise the Common Clinical Data Set (CCDS). The result of each query will be saved as a reference data set.</p>	<p><i>[Test Step]</i> At the scheduled date/time, we will perform queries against Sabiamed's QA environment database for the selected Patient ID and the transactional tables for all data categories that comprise the Common Clinical Data Set (CCDS). The result of each query will be saved as a reference data set.</p>	<p>The modified step measures the tested criteria more accurately, to reflect that the database being used is not in a production environment</p>	<p>None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)</p>
<p><b>170.315 (g)(9): Application Access - All Data Request</b></p>	<p><i>[Test Step]</i> We will provision a test application that will simulate a third-party app placing Restful calls to the facility API.</p>	<p><i>[Test Step]</i> We will provision a test application that will simulate a third-party app placing Restful calls to Sabiamed's QA environment API.</p>	<p>The modified step measures the tested criteria more accurately, to reflect that the API being used is not in a production environment</p>	<p>None (Since the tested system is functionally equivalent to the live system, we believe a successful execution in that QA environment will indicate a proper operation in the live system.)</p>
<p><b>170.315 (g)(10) Standardized API for Patient Population services</b></p>	<p>Criteria 170.315 (g)(10) was included in the 2024 RWT Test Plan.</p>	<p>Criteria 170.315 (g)(10) was not tested.</p>	<p>ClinNext 10 2024 RWT test plan included (g)(10) since at the time of publication we offered that functionality as part of our product. We relied on third party API provider, Firely, to provide the functionalities included in that criteria.</p> <p>We have decided to rely on Darena MeldRX to provide the functionality included in (b)(11)-Decision support interventions. Since MeldRX is also certified in (g)(10) and integration of ClinNext 10 with MeldRX will cover those requirements, we will be providing our customers (g)(10) API functionality through Darena's MeldRX as well. We no longer have access to the Firely API in order to perform the required RWT testing procedures.</p> <p>Accordingly, on December 2024, a new CHPL listing that excludes (g)(10) was issued for ClinNext 10, below:</p> <p><a href="https://chpl.healthit.gov/#/listing/11579">https://chpl.healthit.gov/#/listing/11579</a></p>	<p>None (170.315 (g)(10) criteria is no longer supported and therefore the criteria is out of scope)</p>

## SUMMARY OF TESTING METHODS AND KEY FINDINGS:

For all tested criteria, a set of real patients was selected in a live facility which currently has the latest version of our product installed. A test date was scheduled with a system user at the selected facility. All testing was performed live while both the facility resource as well as a resource from Sabiamed Corporation observed the entire process. All generated testing artifacts (files and screenshots) were saved for future reference. Participants involved in the tests, facility name, and execution date is provided below for each tested criteria.

A comprehensive multi-level testing and validation approach was used, to ensure maximum coverage and thoroughness of all performed tests, as follows:

- Testing the functionality UI and ensuring no functional defects were uncovered while documenting the data needed to execute the test
- All files specified in the test script were generated and saved for future reference. Screenshots of the process were also generated and saved.
- All criteria that involved calculations (c1, c2, and c3) were validated via Cypress tool, by comparing Cypress calculations with ClinNext 10
- All generated CCDAs were visually inspected for accuracy against the documented clinical data and to ensure no malformations were present
- All generated CCDAs and HL7 files were validated for conformance with the standards by using context-free tools provided by ONC (CCDA Validator, ELR Validator)
- QRDA Category III patient population accuracy was tested using Cypress validation tool
- Both QRDA Category I and III conformance with the standard was validated using Cypress validation tool

After executing all tests outlined in this test script and applying the specified measurements and validation steps, all tested criteria were found to be fully functional and compliant in the tested system. However, several of the tested functionalities show little to no usage at the live system.

## STANDARDS UPDATES (INCLUDING STANDARDS VERSION ADVANCEMENT PROCESS (SVAP) AND UNITED STATES CORE DATA FOR INTEROPERABILITY (USCDI)): Yes, I have products certified with voluntary SVAP or USCDI

<b>Standard (and version)</b>	USCDI v1, STU 4.0.0, June 28, 2021
<b>Product Name and Version:</b>	ClinNext 10 v1.0
<b>Criteria:</b>	170.315(g)(10) Standardized API for Patient and Population Services
<b>CHPL Product Number:</b>	15.04.04.2297.Clin.01.00.1.181029
<b>Conformance measure:</b>	Live testing

**CARE SETTING:** All performed steps and key milestones achieved were executed in an In-Patient setting.

**170.315 (b)(1): Transition of Care**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> HOSXXXXX XXXXXXXX XXXXX XXX XXXXX</p> <p><b>Sending Facility:</b> HOSXXXXX XXXXXXXX XXXXX XXX XXXXX</p> <p><b>Test Execution Date:</b> January 24, 2025</p> <p><b>Facility Representative:</b> LUXX XXXXXXXXX</p> <p><b>Sabiamed Representative:</b> JXXXXX XXXXXXX XXXXXXXXX</p>	<p>1 CCDA File tested</p> <p>Visual Inspection</p> <p>Data inspection using SQL</p> <p>Compliance validation using ONC Test tool</p>	<p>Number of patients that were transferred to other institutions for care continuity during the tested period: <b>1323</b></p> <p>Number of C-CDAs that were generated for patient visits on which the patient ended up being transferred to another facility: <b>3</b></p> <p>% of patient transfers on which at least one C-CDA was generated and sent to the receiving facility: <b>0%</b></p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to generate and send the C-CDA file to the receiving facility.</li> </ul>	Y	<p>The user was able to generate the C-CDA for the selected patient.</p> <p>The receiving hospital confirmed the CCDA was received and sent us the print screen of their inbox where the CCDA was viewed and inspected.</p> <p>The C-CDA was visually inspected to be accurate.</p> <p>The C-CDA was compared with the patient data, they matched.</p> <p>The C-CDA was successfully tested for compliance using ONC CDA Validator.</p> <p>The functionality of the criteria was fully validated.</p>
			<ul style="list-style-type: none"> <li>A date and time will be coordinated with a system user at the selected facility that currently uses the "Send C-CDA" functionality that allows them to send C-CDA documents when referring patients to an external facility.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The receiving facility acknowledges having received the C-CDA file.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>In the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the user sending a Referral Summary C-CDA of a patient that requires to be transferred to another facility. The C-CDA will be transferred to the receiving facility via SMTP protocol.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The receiving user is able to download the C-CDA file.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The receiving facility will be contacted to validate that they received the C-CDA file and were able to Download it and Open it without complications.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The receiving user is able to open and view the file in human readable version (.html) of the C-CDA.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The record associated with the C-CDA generation event will be located within our system database, and the generated C-CDA will be validated using ONC's validation tool to test for standards compliance.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The inspected file shows no visual malformations.</li> </ul>	Y	
					<ul style="list-style-type: none"> <li>The generated C-CDA file is stored in the system database.</li> </ul>	Y	
					<ul style="list-style-type: none"> <li>The generated file passes compliance validation using ONC's CDA Validation tool.</li> </ul>	Y	

**170.315 (b)(2): Clinical Information Reconciliation and Incorporation**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> Hosxxxxx xxxxxxxx xxxxx xxx xxxxx</p> <p><b>Test Execution Date:</b> January 29, 2025</p> <p><b>Facility Representative:</b> Jaxxx xxxxxxx xxxxxxxxx</p>	1 CCDA File tested Visual Inspection Data inspection using SQL Compliance validation using	Number of patients received from other institutions as incoming referrals during the tested period: <b>63</b>  Number of C-CDAs that were attached and reconciled to Incoming	• A facility will be selected that currently use ClinNext 10 v.1.0	Y	• The user is able to import the received C-CDA file to the patient record.	Y	The user is able to import a received C-CDA file and perform a full data reconciliation, including medications, diagnoses and allergies into the patient record.  Once the information is reconciled into the patient record, the user is able to access and see the reconciled data from within the patient record.
			• A date/time will be coordinated with a system user at the selected facility that currently uses the C-CDA Reconciliation process for incoming referrals	Y	• The user is able to perform a full data reconciliation, including medications, diagnoses, and allergies of the received C-CDA file into the patient record.	Y	
			• At the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the user receiving a C-CDA file for a real patient that was transferred into their facility and observe how was the data reconciliation process performed.	Y	• Both the C-CDA file and all reconciled data are correctly reconciled to the patient record.	Y	
			• The user will receive the C-CDA file and perform a full C-CDA reconciliation of the received clinical data, including all allergies, diagnoses, and medications.	Y	• The reconciled C-CDA file is accessible and viewable from within the patient record.	Y	

**Sabiamed Representative:**

Bryxx xxxxxxxx xxxxxxxxxx

lSxxxx xxxxxxxx

<p>ONC Test tool</p>	<p>referral encounters: 1</p> <p>% of Incoming referrals with an attached and reconciled C-CDA file during the tested period: <b>1.59%</b></p>	<ul style="list-style-type: none"> <li>• After reconciliation, it will be validated that the reconciled file is accessible and viewable in the patient's record, and that all reconciled data was correctly stored into the system.</li> </ul>	<p>Y</p>	<ul style="list-style-type: none"> <li>• All reconciled data is correctly and fully persisted to the database (this will be validated by executing SQL queries against transactional tables for allergies, medications, and problems).</li> </ul>	<p>Y</p>	<p>The user is able to generate a C-CDA file after reconciliation is performed. Sabiamed's user is able to validate the file using ONC's validation tool.</p>
		<ul style="list-style-type: none"> <li>• A new C-CDA file will be generated after data reconciliation is performed.</li> </ul>	<p>Y</p>	<ul style="list-style-type: none"> <li>• All newly reconciled data is accessible from within the patient medical record.</li> </ul>	<p>Y</p>	
		<ul style="list-style-type: none"> <li>• The new C-CDA file will be visually inspected to ensure that it contains all newly reconciled data and contains no cosmetic malformations.</li> </ul>		<ul style="list-style-type: none"> <li>• A C-CDA file generated after reconciliation is performed includes all reconciled data.</li> </ul>	<p>Y</p>	
		<ul style="list-style-type: none"> <li>• The newly generated C-CDA file will be validated using ONC's CDA validation tool to test for compliance with the applicable standards.</li> </ul>		<ul style="list-style-type: none"> <li>• A C-CDA file generated after reconciliation was performed passes validation using ONC's CDA Validation tool.</li> </ul>	<p>Y</p>	



**170.315 (b)(3): Electronic Prescribing**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Relied Upon Software:</b> DoseSpot</p> <p><b>Test Executed At:</b> Sabiamed QA Environment</p> <p><b>Test Execution Date:</b> January 30, 2025</p> <p><b>Facility Representative:</b> N/A</p> <p><b>Sabiamed Representative:</b> Raxx xxxxxx</p>	<p>1 Prescription used for testing</p> <p>Visual Inspection of received prescription at pharmacy</p> <p>Data inspection using SQL query</p>	<p>Number of prescriptions that were generated though the system, both electronically though ClinNext 10 prescription module and prescriptions sent to a pharmacy through e-Prescribing during the tested period: <b>101</b></p> <p>Number of prescriptions generated and transmitted through e-Prescribing during the tested period: <b>101</b></p> <p>% of total prescriptions generated though e-Prescribing during the tested period: <b>100%</b></p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0 [REMOVED]</li> </ul>	Not Tested	<ul style="list-style-type: none"> <li>The user is able to launch the e-Prescribing module.</li> </ul>	Y	<p>The user was able to select a patient and a test pharmacy.</p> <p>The user was able to document and send process an electronic prescription for the selected patient.</p> <p>The information stored in the database matched the information entered by the user.</p> <p>The functionality of the criteria was successfully validated.</p>
			<ul style="list-style-type: none"> <li>A date/time will be coordinated with a system user that currently uses the e-Prescription functionality. [REMOVED]</li> </ul>	Not Tested	<ul style="list-style-type: none"> <li>The user is able to document and transmit an electronic prescription for a real patient.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>At the coordinated date/time, a resource from Sabiamed’s team will visit the facility and observe the process of a physician documenting and transmitting an electronic prescription for a real patient to their preferred pharmacy. [REMOVED]</li> </ul>	Not Tested	<ul style="list-style-type: none"> <li>The pharmacy validates that they received the prescription. [REMOVED]</li> </ul>	Not Tested	
			<ul style="list-style-type: none"> <li>The selected pharmacy will be contacted to validate that they received the prescription and that it contains all required information to be able to fill it. [REMOVED]</li> </ul>	Not Tested	<ul style="list-style-type: none"> <li>The pharmacy validates that they were able to fill the prescription. [REMOVED]</li> </ul>	Not Tested	
			<ul style="list-style-type: none"> <li>We will validate that all prescription data is completely and correctly persisted into the database by executing SQL queries against the corresponding transactional tables.</li> </ul>	Y	<ul style="list-style-type: none"> <li>We validate that all prescription data is completely and correctly committed to database.</li> </ul>	Y	

**170.315 (b)(6): Data Export**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> HOSxxxxx xxxxxxxx xxxxxx xxx xxxxx</p> <p><b>Test Execution Date:</b> January 24, 2025</p> <p><b>Facility Representative:</b> LUXX xxxxxxxx</p> <p><b>Sabiamed Representative:</b> JOxxxx xxxxxx xxxxxxxx</p>	<p>10 CCDA files generated</p> <p>3 CCDA files randomly selected for validation</p> <p>Visual Inspection of selected files</p> <p>Compliance inspection using ONC CCDA Validator</p>	<p>Total number of C-CDA file generated on the system during the tested period: <b>13,172</b></p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to perform the data export for a user-selected group of 10 patients.</li> </ul>	Y	<p>The C-CDA of 10 patients were successfully generated and stored in the repository.</p> <p>Out of the 10 generated C-CDA's, 3 of then were randomly selected for visual inspection and the inspection was successful.</p> <p>The selected 3 C-CDAs passed validation using ONC's C-CDA Validator.</p> <p>The functionality of the criteria was successfully validated.</p>
			<ul style="list-style-type: none"> <li>A date/time will be coordinated with a system user that currently uses the functionality to be tested.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Human readable version of the C-CDA files are correctly formatted, readable, and show no cosmetic malformations.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>At the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the process of the user performing a data export for a set of patients, of no less than 10 patients.</li> </ul>	Y	<ul style="list-style-type: none"> <li>XML version of the generated C-CDA files pass a validation test using ONC's CDA Validation tool.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The exported human readable version of 3 of the generated C-CDA files will be visually inspected to detect any cosmetic malformations.</li> </ul>	Y			
			<ul style="list-style-type: none"> <li>3 of the exported C-CDA files in XML format will be tested using ONC CDA Validator to test compliance.</li> </ul>	Y			

**170.315 (c)(1): Clinical Quality Measures - Record and Export**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met		
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)			
<p><b>Test Executed At:</b> HOSxxxxx xxxxxxxx xxxxx xxx xxxxx</p> <p><b>Test Execution Date:</b> January 29, 2025</p> <p><b>Facility Representative:</b> Jaxxx xxxxxxx xxxxxxxxxx</p> <p><b>Sabiamed Representative:</b> Bryxx xxxxxxxx xxxxxxxxxx Isxxxx xxxxxxxx</p>	<p>4 QRDA I files generated (2 measures for 2 patients) for validation</p> <p>Comparison of Cypress tool calculations with ClinNext 10 eCQM module used for validation of all measure populations</p> <p>Cypress tool used to measure QRDA Category I format compliance</p>	<p>Number of patient visits and all underlying clinical data that was stored in the database after being captured by the end user that is available for eCQM measure calculations and QRDA I file generation: <b>5,014</b></p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to execute an e-CQM report for the selected 2 measures.</li> </ul>	Y	<p>The user is able to select 2 measures and identify 2 patients that are listed in the correct populations for each selected measure. Also, the user is able to generate and export a QRDA1 file for each of the identified patients.</p>		
			<ul style="list-style-type: none"> <li>A date/time will be coordinated with a system user that currently uses ClinNext 10 e-CQM module.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The 2 patients identified for each of the 2 measures are listed in the correct measure populations.</li> </ul>	Y			
			<ul style="list-style-type: none"> <li>The user will identify 2 patients that are contained within 2 e-CQM measures that the facility currently reports to CMS prior to the visit.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to perform an export containing QRDA I files for the 4 patients.</li> </ul>	Y			
					<ul style="list-style-type: none"> <li>At the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the process of the user generating the report for the selected 2 measures for the timeframe that contains those 4 visits.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Sabiamed's resource is able to import the 4 QRDA I files into Cypress validation tool without errors.</li> </ul>	Y	<p>The user provides the QRDA Category I files generated to a Sabiamed's resource, so the files can be imported to Cypress validation tool in order to validate that the files have no structural errors. The calculations between Cypress and the system's eCQM module</p>
					<ul style="list-style-type: none"> <li>Both the calculated values for those measures and the detailed patient list within the generated report will be inspected to ensure that all selected patients fall in the correct populations within the 2 tested measures, when compared against the documented clinical data.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Cypress validation tool returns no conformance errors in any of the 4 files.</li> </ul>	Y	

		<ul style="list-style-type: none"><li>The generated QRDA I files will be imported into Cypress to validate standards compliance, calculate on what measures and populations those 4 patients reside, and compare that with the calculations performed by ClinNext 10 e-CQM module. The results must match.</li></ul>	Y	<ul style="list-style-type: none"><li>Cypress calculations match the calculations performed by the system eCQM module, for both measures.</li></ul>	Y	must math for both measures.
--	--	--	---	---	---	------------------------------

**170.315 (c)(2): Clinical Quality Measures - Import and Calculate**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> HOSxxxxx xxxxxxxx xxxxxx xxx xxxxxx</p> <p><b>Test Execution Date:</b> January 29, 2025</p> <p><b>Facility Representative:</b> Jaxxx xxxxxxx xxxxxxxxx</p> <p><b>Sabiamed Representative:</b> Bryxx xxxxxxxx xxxxxxxxx Isxxxx xxxxxxx</p>	<p>1 QRDA Category III file generated containing information for each of the 2 measures tested</p> <p>Comparison of Cypress tool calculations with ClinNext 10 eCQM module used for validation of QRDA Category III file</p>	<p>Number of QRDA I files generated during the tested period:</p> <p><b>We successfully validated that users at the tested facility use the QRDA III generation functionality since they are certified with CMS and Joint Commission, and they submitted QRDA Cat I &amp; III files to those agencies during CY-2024</b></p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to import the Cypress generated data set for the 2 identified measures without errors.</li> </ul>	Y	<p>The user is able to import the Cypress generated data set for the 2 identified measures without errors and run a report for the date range that contains the imported data set.</p> <p>The user is able to observe where the patients fall within the measure populations of each of the 2 selected measures and is able to export QRDA Category III files for the selected measures.</p> <p>The user provides the QRDA Category III files generated to a Sabiamed's resource, so the files can be imported to Cypress validation tool in order to validate that the files have no structural errors.</p>
			<ul style="list-style-type: none"> <li>A date/time will be coordinated with a system user that currently uses ClinNext 10 e-CQM module.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to run a report for the date range that contains the imported data set and observe where the patients fall within the measure populations of each of the 2 selected measures.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The user will identify 2 e-CQM measures that the facility reports to CMS prior to the visit.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to perform an export containing the QRDA Category III files for the 2 selected measures.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>Sabiamed resource will produce a Cypress data set for the 2 selected measures prior to the test.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Sabiamed's resource is able to import the exported data set into Cypress without errors.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>At the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the process of the user importing the Cypress data set into the system.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Cypress validation tool returns no standards compliance errors in any of the imported QRDA Category III files.</li> </ul>	Y	

calculations  Cypress tool used to measure QRDA Category III format compliance	<b>(for CY-2023 reporting period). However, we could not generate usage statistics for this criteria since at the time of the RWT execution, the facility did not have the product version that logs QRDA Category I report generation events.</b>	<ul style="list-style-type: none"> <li>The user will perform a QRDA Category III export for the time range that contains those patients.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Cypress compares the calculations with the imported data set with the calculations on the Cypress generated data set and reports no mismatches in any of the 2 tested measures (pass result).</li> </ul>	Y	<p>The calculations between Cypress and the system's eCQM module must match for both measures, and a successful result must be shown within the Cypress validation tool for each measure.</p>
		<ul style="list-style-type: none"> <li>The QRDA I files corresponding to the patients in the imported data will be isolated (this is necessary since this is a live system and real patients will be included in the exported data set).</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>The QRDA Category III files for the patients matching the Cypress data set will be imported back into Cypress for calculations validation.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>Cypress results will be analyzed and documented. The result should be a 100% success rate for all measures tested within Cypress.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>The imported test data is deleted from the system to restore the system to the pre-test state.</li> </ul>	Y			

**170.315 (c)(3): Clinical Quality Measures - Report**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met		
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)			
<p><b>Test Executed At:</b> HOSxxxxx xxxxxxxx xxxxx xxx xxxxx</p> <p><b>Test Execution Date:</b> January 29, 2025</p> <p><b>Facility Representative:</b> Jaxxx xxxxxxx xxxxxxxxx</p> <p><b>Sabiamed Representative:</b> Bryxx xxxxxxxx xxxxxxxxx Isxxxx xxxxxxx</p>	<p>1 QRDA Category I file generated containing information for each patient within each measure populated tested</p> <p>Comparison of Cypress tool calculations with ClinNext 10 eCQM module used for validation of QRDA Category I file calculations</p>	<p>Number of QRDA I files generated during the tested period:</p> <p><b>We successfully validated that users at the tested facility use the QRDA III generation functionality since they are certified with CMS and Joint Commission, and they submitted QRDA Cat I &amp; III files to those agencies during CY-2024 (for CY-2023 reporting period). However, we</b></p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to import the Cypress generated data set for the 2 identified measures without errors and without developer assistance.</li> </ul>	Y	<p>The user is able to import the Cypress generated data set for the 2 identified measures without errors and run a report for the date range that contains the imported data set.</p> <p>The user is able to observe where the patients fall within the populations of each of the 2 selected measures and is able to export QRDA Category I files for the selected measures.</p>		
			<ul style="list-style-type: none"> <li>A date/time will be coordinated with a system user that currently uses ClinNext 10 e-CQM module</li> </ul>	Y	<ul style="list-style-type: none"> <li>User is able to run a report for the date range that contains the imported data set and observe where the imported patients fall within the populations of each of the 2 selected measures.</li> </ul>	Y			
			<ul style="list-style-type: none"> <li>The user will identify 2 e-CQM measures that the facility reports to CMS prior to the visit.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to perform an export containing the QRDA Category I files for the imported patients within the 2 selected measures.</li> </ul>	Y			
					<ul style="list-style-type: none"> <li>Sabiamed resource will produce a Cypress data set for the 2 selected measures prior to the test.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Sabiamed's resource is able to import the exported data set into Cypress without errors.</li> </ul>	Y	<p>The user provides the QRDA Category I files generated to a Sabiamed's resource, so the files can be imported to Cypress validation tool in order to validate that the files have no structural errors.</p>
					<ul style="list-style-type: none"> <li>In the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the process of the user importing the Cypress data set into the system.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Cypress validation tool returns no standards compliance errors in any of the imported QRDA Category I files.</li> </ul>	Y	

Cypress tool used to measure QRDA Category I format compliance	could not generate usage statistics for this criteria since at the time of the RWT execution, the facility did not have the product version that logs QRDA Category I report generation events.	<ul style="list-style-type: none"> <li>The user will perform a data export for the time range that contains those patients.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Cypress compares the calculations with the imported data set with the calculations on the Cypress generated data set and reports no mismatches in any of the 2 tested measures.</li> </ul>	Y	The calculations between Cypress and the system's eCQM module must math for both measures, and a successful result must be shown within the Cypress validation tool for each measure.
		<ul style="list-style-type: none"> <li>The QRDA Category I files corresponding to the patients in the imported data will be isolated (this is necessary since this is a live system and real patients will be included in the exported data set).</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>The QRDA Category I files for the patients matching the Cypress data set will be imported into Cypress for calculations validation.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>Cypress results will be analyzed and documented. The result should be a 100% success rate for all measures tested within Cypress.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>The imported test data is deleted from the system.</li> </ul>	Y			



**170.315 (e)(1): View, Download, and Transmit to 3rd Party**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> HOSXXXXX XXXXXXXX XXXXX XXX XXXXX</p> <p><b>Test Execution Date:</b> January 30, 2025</p> <p><b>Facility Representative:</b> LUXXX XXXXXXXX</p> <p><b>Sabiamed Representative:</b> JOSXXXX XXXXXXXX XXXXXXXX</p>	<p>1 patient selected for validation</p> <p>Visual Inspection of CCDA file</p> <p>Data inspection using SQL Query</p>	<p>Total number of new patient visits during the tested period: <b>17,853</b></p> <p>Total number of patients with granted access to logged into the Portal and performed at least one View</p>	<p>At the coordinated date/time, a resource from Sabiamed’s team will visit the facility and observe the process of the user performing these actions:</p>	Y	<ul style="list-style-type: none"> <li>The user is able to successfully grant a patient access to the Patient Portal.</li> </ul>	Y	<p>The user was able to grant a patient access to the Patient Portal during the registration process.</p> <p>The patient then received instructions through the email and was able to access the login page. Using the two factor authentication in the form of a text message code, the patient was able to access the Patient Portal account.</p> <p>The patient was able to view all the information of his clinical encounter.</p> <p>The patient was able to generate a CCDA for his visit, view the generated CCDA</p>
			<ul style="list-style-type: none"> <li>Registering a test patient</li> </ul>	Y	<ul style="list-style-type: none"> <li>The patient receives a patient portal registration welcome e-mail</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>Granting portal access to the test patient.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The patient is able to complete the registration process by clicking on the registration link contained in the welcome e-mail.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>Reading the system generated “Welcome to the Patient Portal” email and completing the registration and 2-step authentication process.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Once registration is completed, the patient is able to perform the 2-step authentication process and login into the Patient Portal account.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>Documenting the following information into the patient’s medical record: Allergies, Medications, Diagnoses, Family History, and Vital Signs.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The patient is able to view all clinical information that was captured.</li> </ul>	Y	

<p>Compliance validation of CCDA using ONC Test tool</p> <p>Verification of Audit Log for assessing event logging accuracy</p>	<p>One view, Download, or Transmit transaction: 9</p> <p>% of patients granted access who logged-in and used the patient portal during the tested period: .05%</p>	<ul style="list-style-type: none"> <li>Generating a Discharge Summary C-CDA for the patient.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The patient is able to view audit events for all sections visited as well as for C-CDA generation requests performed by the facility against his clinical profile.</li> </ul>	Y	<p>view the generated CCDA, download a Zip file containing files.</p> <p>All the information displayed in the portal was the same entered when registering the patient. All the information contained in the CCDA matched the clinical information associated with the encounter.</p> <p>The audit trail of the patient registered both the Login and View events.</p> <p>The audit trail of the patient registered the CCDA generation and download of the .Zip events.</p> <p>The functionality of the criteria was successfully validated.</p>
		<ul style="list-style-type: none"> <li>Login into the Patient Portal account as the test patient.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The patient is able to View C-CDA files generated against his clinical profile.</li> </ul>	Y	
		<ul style="list-style-type: none"> <li>Validating that all patient demographic information is accurate.</li> </ul>	Y	<ul style="list-style-type: none"> <li>All inspected files are fully readable and contain no malformations.</li> </ul>	Y	
		<ul style="list-style-type: none"> <li>Validating that all clinical information is accurate.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>Validating that an audit log entry was captured for the login event.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>Validating that an audit log entry was captured for each clinical section viewed by the user</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>Validating that an audit log entry was captured for the C-CDA generation event.</li> </ul>	Y			
		<ul style="list-style-type: none"> <li>Validating that that the generated C-CDA file is viewable from within the patient portal.</li> </ul>	Y			

**170.315 (f)(1): Transmission to Immunization Registries**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> Sabiamed QA Environment</p> <p><b>Test Execution Date:</b> January 30, 2025</p> <p><b>Facility Representative:</b> N/A</p> <p><b>Sabiamed Representative:</b> Caxxxx xxxxxx</p>	<p>2 patients selected for validation and transmission</p> <p>Confirmation of receiving system used as acknowledge of successful vaccination record transfer</p> <p>Comparison of imported vaccination record (from receiving PREIS exchange system) vs. documented vaccination information used to access accuracy of data received and stored in receiving system</p>	<p>Total number of patients for which at least one vaccination was documented during the tested period: <b>10</b></p> <p>Total number or patients for which vaccination information was transmitted to Puerto Rico electronic Immunization System (PREIS): <b>0</b></p> <p>% of patients with vaccination information documented for which information was actually electronically transmitted to PREIS: <b>0%</b> (<b>Immunization report HL7 export not in use</b>)</p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to successfully generate an export the patient Immunization record for the 2 selected patients to the IIS/PREIS.</li> </ul>	Y	<p>The system allowed the user to completely document vaccination information for the selected patients, including expiration date, funding source, Lot number, CVX, VCX and all the required additional fields.</p> <p>The information was then exported to the PREIS health information exchange system and a receipt confirmation screen was displayed to the user.</p> <p>The audit of the transaction was registered and confirmed in the history of export and import screen.</p> <p>The information imported from the PREIS was used to confirm the information received and stored in their system was identical to the information sent during the Export process.</p> <p>The functionality of the criteria was successfully validated.</p>
			<ul style="list-style-type: none"> <li>A date/time will be coordinated with a system user that currently uses ClinNext 10 Immunization module.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to Import the immunization record for those 2 patients in order to view the immunization information that was stored in the PREIS (IIS) for each of the patients.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The user will identify 2 patients for which Immunization information was documented not more than 2 weeks prior to the test.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The imported immunization information matches the immunization record that was transmitted.</li> </ul>	Y	
			Step removed	Not Executed			
			<ul style="list-style-type: none"> <li>The user will transmit the immunization records to the PREIS, and the PREIS returns no errors when processing the files.</li> </ul>	Y			

• The user will perform an Import for those 2 patients in order to validate that the immunization information persisted in PREIS matches the immunization information that was documented for the patients in ClinNext 10.

Y



**Sabiamed Representative:**  
Caxxxx xxxxxx

<ul style="list-style-type: none"><li>• The information in both HL7 files will be compared with the Lab results that were documented for each patient to validate there are no data inconsistencies.</li></ul>	Y	<ul style="list-style-type: none"><li>• HL7 files are successfully validated using the ONC's context free ELR Validation tool.</li></ul>	Y
<ul style="list-style-type: none"><li>• Both HL7 files will be validated using ONC's context free ELR Validation tool.</li></ul>	Y		Y

**170.315 (f)(5): Transmission to Public Health Agencies - Electronic Case Reporting**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> H05xxxxx xxxxxxxx xxxxxx xxx xxxxxx</p> <p><b>Test Execution Date:</b> January 24, 2025</p> <p><b>Facility Representative:</b> Luxx xxxxxxxx</p> <p><b>Sabiamed Representative:</b> J0xxxxx xxxxxxxx xxxxxxxx</p>	<p>1 rule based on patients with a COVID-19 diagnosis on a specific day was used for testing</p> <p>Comparison of a SQL query for the selected diagnosis vs. the patient list returned by rule was used for validation</p>	<p>Total number of triggers created on the system during the tested period: <b>0 (functionality not in use)</b></p>	<ul style="list-style-type: none"> <li>• Create a trigger for the selected diagnosis</li> </ul>	Y	<ul style="list-style-type: none"> <li>• The user is able to create a trigger for the selected diagnosis.</li> </ul>	Y	<p>The system allowed for the creation of rule for patients with encounter on a single day with a COVID-19 ICD-10 diagnosis.</p> <p>The rule was executed and results were displayed in the screen, displaying the correct set of patients.</p> <p>The system allowed to generate a CCDA for the returned patient.</p> <p>The report matched the same as the results on the ClinNext 10 screen, which were also validated using a SQL query.</p> <p>The criteria functionality was successfully validated.</p>
			<ul style="list-style-type: none"> <li>• Execute a report for the selected trigger.</li> </ul>	Y	<ul style="list-style-type: none"> <li>• The user is able to execute a report for the selected trigger.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>• Generate C-CDA files for all patients included in the generated report.</li> </ul>	Y	<ul style="list-style-type: none"> <li>• The user is able to generate C-CDA files for all patients included in the generated report.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>• The list of patients generated by the trigger matches the patients returned by a SQL query for the same trigger criteria (diagnosis).</li> </ul>	Y	<ul style="list-style-type: none"> <li>• The list of patients generated by the trigger matches the patients returned by a SQL query for the same trigger criteria (diagnosis).</li> </ul>	Y	

**170.315 (g)(7): Application Access - Patient Selection**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> Sabiamed QA Environment</p> <p><b>Test Execution Date:</b> January 31, 2025</p> <p><b>Facility Representative:</b> N/A</p> <p><b>Sabiamed Representative:</b> Bryxx xxxxxxxx xxxxxxxx</p>	<p>1 patient selected for validation</p> <p>SQL queries used to validate API result set against data stored in DB</p> <p>Postman used to validate format and contents of the record set returned by the API</p>	<p>Number of calls received though the API for Patient Search: <b>0 (API functionality not in use)</b></p>	<ul style="list-style-type: none"> <li>A test date/time will be coordinated with the selected facility. <b>[Removed]</b></li> </ul>	Not Executed	<ul style="list-style-type: none"> <li>The tester is able to provision a test application within the Sabiamed's QA environment database (emulating a real third-party application).</li> </ul>	Y	<p>The tester is able to provide a tool (Postman) to simulate a real third party application and to successfully place restful calls for each set of parameters using a valid security token.</p>
			<ul style="list-style-type: none"> <li>At the scheduled date/time, we will perform 3 queries against Sabiamed's QA environment database: one for patient last name, another for patient first name and last name, and another one for patient first name, last name and date of birth. The results of each query will be saved as a reference data set.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Using Postman, the tester is able to place Restful calls coming from the 3rd party app, for each set of selected set of parameters using a valid security token.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>We will provision a test application that will emulate a third-party application placing Restful calls to the API.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Using Postman, the tester is unable to place restful calls to the API with an expired security token.</li> </ul>	Y	<p>The tester is unable to place restful calls to the API with an expired or invalid security token.</p>
			<ul style="list-style-type: none"> <li>Service calls will be setup in postman, one for each of set of parameters for which each SQL query was executed: patient last name, patient first name and last name, and patient first name, last name and date of birth.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Using Postman, the tester is unable to place restful calls to the API with an invalid security token.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The data returned for each service call will be compared with the reference result set of the corresponding SQL query. There should be a matching data set for each service call.</li> </ul>	Y			



**170.315 (g)(9): Application Access - All Data Request**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> Sabiamed QA Environment</p> <p><b>Test Execution Date:</b> January 31, 2025</p> <p><b>Facility Representative:</b> N/A</p> <p><b>Sabiamed Representative:</b> Bryxx xxxxxxxx xxxxxxxx</p>	<p>1 patient selected for validation</p> <p>SQL queries used to validate API result set against data stored in DB</p> <p>Postman used to validate format and contents of API result set</p>	<p>Number of API calls received for a complete patient record (All data request): <b>0 (API functionality not in use)</b></p>	<ul style="list-style-type: none"> <li>A test date/time will be coordinated with the selected facility. <b>[Removed]</b></li> </ul>	Not Executed	<ul style="list-style-type: none"> <li>The tester is able to provision a test application within the database (simulating a real third-party application connected to the API).</li> </ul>	Y	<p>The tester is able to provide a tool (Postman) to simulate a real third party application and to successfully place a restful call for the selected patient and the full CCDS (All Data Categories) using a valid security token.</p>
			<ul style="list-style-type: none"> <li>At the scheduled date/time, we will perform queries against Sabiamed's QA environment database for the selected Patient ID and the transactional tables for all data categories that comprise the Common Clinical Data Set (CCDS). The result of each query will be saved as a reference data set.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Using Postman, the tester is able to successfully place a restful call for the selected patient and the full CCDS (All Data Categories)</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>We will provision a test application that will simulate a third-party app placing Restful calls to Sabiamed's QA environment API.</li> </ul>	Y	<ul style="list-style-type: none"> <li>Using Postman, the tester is unable to place Restful calls to the API with an expired security token.</li> </ul>	Y	<p>The tester is unable to place restful calls to the API with an expired or invalid security token.</p>
			<ul style="list-style-type: none"> <li>A call will be setup in postman for the selected Patient ID and all the data elements within the CCDS (All Data Categories).</li> </ul>	Y	<ul style="list-style-type: none"> <li>Using Postman, the tester is unable to place Restful calls to the API with an invalid security token.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>The data returned by the service will be compared with the result of the SQL queries. Both data sets should match.</li> </ul>	Y			

**170.315 (h)(1): Direct Project**

Facility / Participants	Measurements and Testing Methods		Test Steps		Expected Outcomes		Key Milestones Met
	Testing Method	Measurements Taken	Test Step	Step Successfully Executed (Y/N)	Outcome	Outcome Met (Y/N)	
<p><b>Test Executed At:</b> Hosxxxxx xxxxxxxx xxxxx xxx xxxxx (sender / receiver)</p> <p><b>Test Execution Date:</b> January 29, 2025</p> <p><b>Facility Representatives:</b> Jaxxx xxxxxx xxxxxxxxx</p> <p><b>Sabiamed Representative:</b> Bryxx xxxxxxxx xxxxxxxxx Isxxxx xxxxxxxx</p>	<p>1 patient CCDA file was used for validation of both CCDA transmission and reception test cases</p> <p>Visual inspection of the generated CCDA file at the receiving facility</p> <p>Visual inspection of a CCDA file received from another facility</p>	<p>Number of messages transmitted through Direct protocol over the tested period: 5</p>	<ul style="list-style-type: none"> <li>A facility will be selected that currently use ClinNext 10 v.1.0.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The receiving facility receives the C-CDA file into the system user's Updox Direct inbox and is able to access and view it.</li> </ul>	Y	<p>A system user is able to receive a C-CDA file into his/her Updox Direct Inbox and is able to access and view the human readable format of the file with no cosmetic malformations.</p>
			<ul style="list-style-type: none"> <li>A date will be coordinated with a system user at the selected facility that currently uses the "Updox direct inbox" a third-party web application that is integrated into ClinNext 10 and allow system users to send/receive C-CDA documents using the Direct standard.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The receiving user is able to open and view the file C-CDA in Human Readable format and it shows no cosmetic malformations.</li> </ul>	Y	
			<ul style="list-style-type: none"> <li>At the coordinated date/time, a resource from Sabiamed's team will visit the facility and observe the user sending and receiving a C-CDA file for a patient that was transferred into and out of their facility, over Direct protocol.</li> </ul>	Y	<ul style="list-style-type: none"> <li>The user is able to send a C-CDA file over Direct to a receiving facility.</li> </ul>	Y	<p>A system user is able to send a C-CDA file over direct to another healthcare facility.</p>